Summary of Residents without water (1-6-11)

Name	Survey Summary	Hazardous	Comparison Value	Comparison	Maximum
		Substances Present*		Value Source	
1.	2 adults vater	1)DEHP	1) 600/2,000 ug/L	1)ATSDR Child/Adult	1) 2.3 ug/L
Ex. 6 - Personal Privacy f	disconnected)	2)Glycols	2) 8,000/30,000 ug/L	Chronic EMEG	2) 4700J ug/L
Li	using donated	3) 2-Methoxyethanol	ug/L	ENIEG	3) 1300J ug/L
	bottled water for	3) 2 Wiemony emailor	3) None	2)ATSDR	3) 1300 3 u g/L
	drinking.	4)Manganese	Established	Child/Adult	4) 96.5 ug/L
	Delivery of water	, 5		Intermediate	,
	to buffalo discontinued by	5) Barium	4) 50 ug/L	EMEG	5) 219 ug/L
	donor parties.		5) 2,000/7,000 ug/L	3) None	
				4) EPA SMCL	
				5) ATSDR	
				Child/Adult	
				Chronic	
			2/10 /7	EMEG	
2.	2 adults, no	Arsenic	3/10 ug/L	ATSDR	1.8J ug/L
Ex. 6 - Personal Privacy	children, water buffalo (well not			Child/Adult Chronic	
	being used) using			EMEG	
	donated bottled			ENIEG	
	water for				
	drinking.				
	Delivery to water				
	buffalo				
	discontinued by				
	donor parties				

DIM0185083

3.	2 adults, no	1)Glycols	1)8000/30,000 ug/L	1) ATSDR	1)~1620 ug/L
Ex. 6 - Personal Privacy	children, water			Child/Adult	
	buffalo (well not	2) 2-Methoxyethanol	2)None Established	Intermediate	2) 1100J ug/L
<u> </u>	being used) using			EMEG	3) 2.4J ug/L
	donated bottled	3) Arsenic	3) 3/10 ug/L		, ,
	water for		,	2) None	4) 76J ug/L
	drinking.	4) Mangenese	4) 50 ug/L	ĺ	
	Delivery to water		, -	3) ATSDR	5) 110,000 ug/L
	buffalo	5) Sodium	5) 20,000 ug/L	Child/Adult	
	discontinued by			Chronic	
	donor parties.			EMEG	
	Pumping water				
	from the creek to			4) EPA SMCL	
	the water buffalo			,	
				5) EPA	
				Drinking	
				Water	
				Advisory	

ĺ						
4.	Ex. 6 - Personal Privacy	4 adults, no children, water	1) Glycols	1) 8000/30,000 ug/L	1) ATSDR Child/Adult	1) 630J ug/L
	_	buffalo (well not	2) 2-Methoxyethanol	Lag E	Intermediate	2) 880J ug/L
		being used) using		2) None	EMEG	2) 0000 45/2
		donated bottled	3) Arsenic	Established	220	3) 7.2B ug/L
		water for	-,		2) None	-) =
		drinking.	4) Mangenese	3) 3/10 ug/L	Established	4) 628 ug/L
		Delivery to water				'
		buffalo	5)Sodium	4) 50 ug/L	3) ATSDR	5) 82,900 ug/L
		discontinued by		, -	Child/Adult	
		donor parties.		5) 20,000 ug/L	Chronic	
					EMEG	
					4) EPA SMCL	
					5) EPA	
					Drinking	
					Water	
<u> </u>		2.11	1 .	1) 2/10 //	Advisory	1) 1 2 /7
5.		3 adults, no	1) Arsenic	1) 3/10 ug/L	1) ATSDR	1) 1.3 ug/L
	Ex. 6 - Personal Priva	- :	2)) (2) 50 -/1	Child/Adult	2) 212 - //
		using water	2) Mangenese	2) 50 ug/L	Chronic EMEG	2) 212 ug/L
'		buffalo, using well water for			ENIEG	
		everything but			2) EPA SMCL	
		drinking and			2) EFA SWICE	
		cooking buying				
		their own bottled				
		water for drinking				
		and cooking.				
		High sediment				
		noted in their				
		filter.				

	,	T .		T .	T .
6.	2 adults,	1) DEHP	1) 600/2,000 ug/L	1) ATSDR	1) 22 ug/L
Ex. 6 - Personal Privacy	Ex. 6 - Personal Privacy			Child/Adult	
	Ex. 6 - Personal Privacy Water	2) Arsenic	2) 3/10 ug/L	Chronic	2) 6.5 ug/L
	buffalo (well not			EMEG	, ,
	being used) using	3) Mangenese	3) 50 ug/L		3) 669 ug/L
	donated bottled		- /	2) ATSDR	- /
	water for	4) Sodium	4) 20,000 ug/L	Child/Adult	4) 131,000 ug/L
	drinking.	1) Sourcin	1) 20,000 ag/2	Chronic	1) 131,000 481
	Delivery to water			EMEG	
	buffalo			LIVILO	
	discontinued by			3) EPA SMCL	
	donor parties.			3) LI A SIVICL	
	donor parties.			4) EPA	
				Drinking	
				Water	
	Ex. 8 - Personal Privacy			Advisory	
7.	-2 adults,	1) Glycols	1) 8000/30,000	1) ATSDR	1) 3400J ug/L
Ex. 6 - Personal Privacy	Ex. 8 - Personal Privacy		ug/L	Child/Adult	
	Ex. 6 - Personal Privacy	2) Arsenic		Intermediate	2) 3.1 ug/L
			2) 3/10 ug/L	EMEG	
	water buffalo	3) Mangenese			3) 1360 ug/L
	(well not being		3) 50 ug/L	2) ATSDR	
	used) using			Child/Adult	
	donated bottled			Chronic	
	water for			EMEG	
	drinking.				
	Delivery to water			3) EPA SMCL	
	buffalo				
	discontinued by				
	,	1	1		1

		_				
8.		3 adults, 3	1)DEHP	1) 600/2,000 ug/L	1) ATSDR	1) 2.61 ug/L
		seniors,			Child/Adult	
	Ex. 6 - Personal Privacy	Ex. 6 - Personal Privacy Vater	2)Arsenic	2) 3/10 ug/L	Chronic	2) 37 ug/L
		buffalo			EMEG	
		disconnected.	3)Manganese	3) 50 ug/L		3) 413 ug/L
		Well back in use			2) ATSDR	
		for non-potable	4)Sodium	4) 20,000 ug/L	Child/Adult	4) 36,800 ug/L
		uses. Bottle			Chronic	
		water used for			EMEG	
		drinking and				
		cooking.			3) EPA SMCL	
		Resident installed				
		filter system (not			4) EPA	
		sure it is certified			Drinking	
		for potential			Water	
		contaminants)			Advisory	

^{*} Note, other chemicals of concern to ATSDR are present in all of these wells.